

Bühnenplan / Technical Rider <Club>


Version 20.08.2023



INPUTS				
Kanal	Quelle	Typ	Bemerkung	Name
1	Harp Helmut	Shure 520 DX		Helmut
2	E-Drum Links	EF Note		Michael
3	E-Drum Rechts	EF Note		Michael
4	Git. Tilmann	Line6 Helix	Mono	Tilmann
5	Git. Matthias S.	Line6 Helix	Mono	Matze 2
6	E-Bass	AMP mit integr. DI-Box		Edgar
7	Keyboard Links	Klinke (Line Out Links)	Nord Electro 3	Helmut
8	Keyboard Rechts	Klinke (Line Out Rechts)	Nord Electro 3	Helmut
9	Keyboard Links	Klinke (Line Out Links)	Yamaha	Helmut
10	Keyboard Rechts	Klinke (Line Out Rechts)	Yamaha	Helmut
11	Voc. Matthias D.	Sennheiser E865(Phantom) oder Shure SH-55 (Elvis)	eigenes Mic	Matze 2
12	Voc. Edgar	Vocalist mit intergr. DI-Box	eigenes Mic	Edgar
13	Voc. Matthias S.	Shure SM58	eigenes Mic	Matze 1
14	Voc. Helmut	Sennheiser E865(Phantom)	eigenes Mic	Helmut
15	-			
16				
17				
18				
19				
20				

MONITOR				
Kanal	Ort	Mix	Typ	Bemerkung
1	Matthias D. (Voc)	Gitarren, Keyboard, Gesang	In-Ear	eigenes In-Ear (Funk)
2	(Edgar)	(Gesamt-Mix)	Mon.-Box	
3	Matthias S. (Git)	Gitarre (Matthias), Gesang, Keyboard	In-Ear	eigenes In-Ear (Funk)
4	Helmut (Keyboards)	Keyboards, Gesang, Gitarren	Mon.-Box	EV
5	Michael (Drums)	Gesamt-Mix	Mon.-Box	The Box
6	Tilmann	Gesamt-Mix	In-Ear	eigenes In-Ear (Funk)

FUNK TECHNIK				
Musiker / Ort	Art	Hersteller / Typ	Frequenz / Bereich	Bemerkung
Matthias D. (Voc)	In-Ear	LD Systems	863.100 MHz	
Matthias S. (Git)	In-Ear	LD Systems	863.500 MHz	
	Funksender Gitarre	XVIVE	2.4 – 2.484 GHz	4 Kanäle
Tilmann (Git)	In-Ear	Shure P3T	519.850 MHz	H20: Group 1 Channel 2
	Funksender Gitarre	XVIVE	2.4 – 2.484 GHz	4 Kanäle
Edgar (Bass)	Funksender Gitarre	AKG SR40 Mini Pro ISM3	864.850 MHz	
WiFi Router	WLAN	TP Link	2.4 GHz	Für Stagebox UI24R
Stagebox	WLAN	Soundcraft UI24R	2.4 GHz	



Info auch unter: <https://beat-men.de/download>

Bandkontakt für Technikfragen: Edgar Laug
 Tel. 0160-91090060 (WhatsApp)